Lustre: A scalable, High-performance file system - Google Search

Sign in



Web Images Groups News Froogle Maps more »

Lustre: A scalable, High-performance file syste Search Preferences

Web Results 1 - 10 of about 27,900 for Lustre: A scalable, High-performance file system. (0.25 seconds)

Did you mean: LustreA scalable, High-performance file system

#### [PDF] Lustre: A Scalable, High-Performance File System

File Format: PDF/Adobe Acrobat - View as HTML

Lustre: A Scalable, High-Performance File System. Cluster File Systems, Inc. Abstract:.

Today's network-oriented computing environments require ...

www.lustre.org/docs/whitepaper.pdf - Similar pages

#### [PDF] high-performance storage architecture and scalable cluster file system

File Format: PDF/Adobe Acrobat - View as HTML

Lustre is a highly scalable distributed file. system that combines open standards, ... of networks and high performance features. Lustre interoperates with ...

www.lustre.org/docs/lustre-datasheet.pdf - Similar pages

#### Lustre

Cluster File Systems, Inc. is the leading developer of next generation technology for scalable high-performance file systems. Our Lustre® file system ... www.clusterfs.com/ - 8k - Cached - Similar pages

Scali partners with Cluster File Systems to deliver managed, high ... Additionally, Scali announced support for CFS's Lustre file system within ... "This increases their need for scalable, high performance storage solutions to ... www.clusterfs.com/pr/2005-05-17.html - 8k - Cached - Similar pages

[ More results from www.clusterfs.com ]

Citations: Lustre: A Scalable HighPerformance File System ...

Cluster File Systems, "Lustre: A Scalable HighPerformance File System," White Paper, 2002. Home/Search Document Not in Database Summary Related Articles ... citeseer.ist.psu.edu/context/2551956/0 - 6k - Cached - Similar pages

<u>Citations: High Performance File System - Scalable (ResearchIndex)</u> <u>Lustre: A Scalable, High Performance File System, Cluster File System, Inc. 2003.</u> <a href="http://www.lustre.org/docs.html">http://www.lustre.org/docs.html</a>. citeseer.ist.psu.edu/context/2431534/0 - 8k - Cached - Similar pages

#### [PPT] File Systems

File Format: Microsoft Powerpoint 97 - View as HTML

Lustre: A Scalable, High-Performance File System (continued...) Why is Lustre needed? Problems with many traditional distributed file systems ... cse.unl.edu/~yzhu/seminar04f/FileSystems.ppt - Similar pages

HP reels in SharcNet with scalable file system

Attached to each of these clusters will be HP's **Scalable File** Share (SFS) ... The group liked the fact that SFS is based on the **Lustre file system**. ... searchstorage.techtarget.com/originalContent/ 0,289142,sid5\_gci1100856,00.html - 61k - Cached - Similar pages

#### **HP SFS**


StorageWorks Scalable File Share Adds Lustre to Storage Grid, ... HP develops high-

performance file system for Linux clusters November 8, 2004; ... www.hp.com/techservers/products/sfs.html - 50k - <u>Cached</u> - <u>Similar pages</u>

Scali - Scali partners with Cluster File Systems to deliver ...

Additionally, Scali announced support for CFS's Lustre file system within ... "This increases their need for scalable, high performance storage solutions to ... www.scali.no/index.php?option=com\_ content&task=view&id=112&Itemid=79 - 24k - Cached - Similar pages

Did you mean to search for: LustreA scalable, High-performance file system



Lustre: A scalable, High-performanc Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

| Ref<br># | Hits | Search Query              | DBs  | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---------------------------|--|---------------------|---------|------------------|
| S1       | 13   | "6122633"                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/03 11:07 |
| S2       | 34   | "6115646"                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/03 08:59 |
| S3       | 7    | "0854431"                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/08 14:46 |
| S4       | 46   | "0111509"                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/09 15:13 |
| S5       | 4    | "9963463"                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/10 08:45 |
| S6       | 1222 | workflow with management  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/03 10:15 |
| S7       | 5    | event-identification      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/03 10:15 |
| S8       | 5648 | event with identification | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/03 11:21 |
| S9       | 1    | S6 with S8                | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | OFF     | 2006/05/03 10:16 |

|     |       |   | .,   |    | ·   |                  |
|-----|-------|---|--|----|-----|------------------|
| S10 | 19    | S6 and S8                                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 10:16 |
| S11 | 2008  | 707/100.ccls.                               | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 10:17 |
| S12 | 33    | S6 and S11                                  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 10:17 |
| S13 | 15518 | signaling and events                        | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 11:08 |
| S14 | 61    | S6 and S13                                  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 11:17 |
| S15 | 4     | "6772407"                                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 11:13 |
| S16 | 7     | "6011917"                                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 11:14 |
| S17 | 25    | "5960420"                                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 11:16 |
| S18 | 3     | "6832201"                                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 11:16 |
| S19 | 1719  | event with identification and specification | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/03 11:22 |

|     | ,        |  | ,  | ,    |     |                  |
|-----|----------|--|--|------|-----|------------------|
| S20 | 11       | S6 and S19   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2006/05/03 17:07 |
| S21 | 0        | 2002/0069190   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2006/05/03 17:08 |
| S22 | 67       | Geiselhart   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2006/05/03 17:11 |
| S23 | 10928626 | method and system of weighted context feedback for result improvement in information retrieval | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2006/05/03 17:14 |
| S24 | 33895    | Reinhold Geiselhart  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2006/05/03 17:23 |
| S25 | 237153   | context ranking  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2006/05/03 17:15 |
| S26 | 139      | context ranking  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/03 17:22 |
| S27 | 31       | "0069190"  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/03 17:26 |
| S28 | 0        | "020069190"  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/03 17:26 |
| S29 | 862311   | Reinhold Geiselhart with method and system of weighted   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2006/05/03 17:27 |

|     |         | TOO COLOUR           |   |        | OFF | 2006/05/02 47:26 |
|-----|---------|----------------------|---|--------|-----|------------------|
| S30 | 31      | "0069190"            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH   | OFF | 2006/05/03 17:26 |
| S31 | 2       | "20020069190"        | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | WITH   | OFF | 2006/05/03 17:28 |
| S32 | 3       | "20020069190"        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH   | OFF | 2006/05/08 09:24 |
| S33 | 6       | "6785670"            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | wпн    | OFF | 2006/05/12 08:50 |
| S34 | 5       | "6601075"            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH   | OFF | 2006/05/08 14:17 |
| S35 | 13      | "6122633"            | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR     | OFF | 2006/05/09 13:09 |
| S36 | 34      | "6115646"            | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR     | OFF | 2006/05/08 14:47 |
| S37 | 1081877 | distribution\$1      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR     | OFF | 2006/05/09 13:10 |
| S38 | 717     | work flow management | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | WITH · | OFF | 2006/05/09 13:11 |

| S39 | 1230 | workflow management     | USPAT;<br>USOCR;                                     | WITH | OFF | 2006/05/09 13:11 |
|-----|------|-------------------------|--|------|-----|------------------|
|     |      |                         | EPO; JPO;<br>DERWENT;<br>IBM_TDB                     |      |     |                  |
| S40 | 5    | event-identification    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/09 13:11 |
| S41 | 5670 | event identification    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/09 13:11 |
| S42 | 7319 | event\$1 identification | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/09 13:12 |
| S43 | 312  | S39 and S37             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/09 13:12 |
| S44 | 39   | S39 with S37            | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/09 13:13 |
| S45 | 11   | S43 and S42             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/09 13:14 |
| S46 | 2023 | 707/100.ccls.           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/09 13:14 |
| S47 | 12   | S46 and S43             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/09 13:14 |
| S48 | 0    | 17/60.ccls.             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | OFF | 2006/05/09 15:14 |

|     | <del></del> | T   | 1   | T    | γ   |                  |
|-----|-------------|---|---|------|-----|------------------|
| S49 | 6           | "6567783"                                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR   | OFF | 2006/05/10 08:50 |
| S50 | 5           | "6601075"                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/12 10:20 |
| S51 | 4           | "6374275"                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/12 12:36 |
| S52 | 3           | Boolean-predicate                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/12 12:37 |
| S53 | 438         | Boolean predicate                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/12 12:37 |
| S54 | 1598        | Workflow Management System                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/12 12:37 |
| S55 | 14          | S53 and S54                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | WITH | OFF | 2006/05/12 12:37 |
| S56 | 54          | user-interface with controlling interaction | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | AND  | OFF | 2006/05/23 11:21 |
| S57 | 8986        | job control language                        | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | AND  | OFF | 2006/05/23 11:22 |

| S58 | 1695  | job control language statement  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | OFF | 2006/05/23 11:23 |
|-----|-------|---|--|-------|-----|------------------|
| S59 | 1695  | job control language and statement                                    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | OFF | 2006/05/23 11:23 |
| S60 | 1695  | job and control and language and statement                            | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND . | OFF | 2006/05/23 11:29 |
| S61 | 81402 | trimming  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | OFF | 2006/05/23 11:35 |
| S62 | 34    | S60 and S61   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | OFF | 2006/05/23 11:30 |
| S63 | 7     | DFSORT  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | OFF | 2006/05/23 15:48 |
| S64 | 0     | trimming and DFSORT   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | OFF | 2006/05/23 11:35 |
| S65 | 0     | back-end software for interacting with a subject database application | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | OFF | 2006/05/23 15:49 |
| S66 | 0     | back-end software for interacting with database application           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | OFF | 2006/05/23 15:49 |
| S67 | 61    | back-end software interacting with database application               | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND   | OFF | 2006/05/23 15:59 |

|     |          |  |  |     |     | · · · · · · · · · · · · · · · · · · · |
|-----|----------|--|--|-----|-----|---------------------------------------|
| S68 | 3        | back-end and software with interacting with database and application | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | OFF | 2006/05/23 15:56                      |
| S69 | 34       | front-end software interacting with database application             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | AND | OFF | 2006/05/23 15:59                      |
| S70 | 27       | "6249844"  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2006/05/24 10:28                      |
| S71 | 9        | "6460052"  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2006/05/24 10:32                      |
| S72 | 34366617 | pre-allocating space for a file in a cluster file system             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2006/05/24 10:32                      |
| S73 | 3        | pre-allocating and space and cluster and file                        | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2006/05/24 10:35                      |
| S74 | 1567288  | create file  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2006/05/24 10:35                      |
| S75 | 10030    | create with file   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2006/05/24 10:35                      |
| S76 | 365238   | client message   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2006/05/24 10:36                      |
| S77 | 10211    | client with message  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2006/05/24 10:36                      |

|     | r"      |                                       |  |    | r   |                  |
|-----|---------|---------------------------------------|--|----|-----|------------------|
| S78 | 657     | S77 and S75                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:36 |
| S79 | 2370053 | serverwith receive                    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:36 |
| S80 | 15983   | server with receive                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:37 |
| S81 | 296     | S78 and S80                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:40 |
| S82 | 6189602 | creating with cluster and file system | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:51 |
| S83 | 296     | S81 and S82                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:41 |
| S84 | 25      | pre-allocating with space             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:42 |
| S85 | 95      | pre-allocating and space              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 11:15 |
| S86 | 0       | S85 and S83                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:43 |
| S87 | 0       | S85 and S81                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:43 |

|     |         | p-01-                                       | _  |    | r   |                  |
|-----|---------|---|--|----|-----|------------------|
| 588 | 87      | S85 and S82                                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:45 |
| 589 | 296     | S72 and S83                                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 10:46 |
| S90 | 6189598 | creating with cluster with file system      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 11:14 |
| S91 | 296     | S81 and S90                                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 11:15 |
| S92 | 25      | pre-allocating with space                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 11:15 |
| S93 | 0       | S91 and S92                                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/24 11:16 |
| S94 | 26835   | creat\$3 with file                          | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/25 12:09 |
| S95 | 113     | stor\$3 with data near allocat\$2 with file | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/25 12:10 |
| S96 | 209832  | setting with time                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/25 12:23 |
| S97 | 67      | S94 and S95                                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/25 12:12 |

| S98      | 3       | S96 and S97   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/25 12:12 |
|----------|---------|---------------|--|----|-----|------------------|
| S99      | 9232827 | set time      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/25 12:23 |
| S10<br>0 | 588330  | set with time | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/25 12:23 |
| S10<br>1 | 6532    | S94 and S100  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/25 12:24 |
| S10<br>2 | 31      | S95 and S101  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/25 12:24 |